

On The Role of Wetting, Structure Width, and Flow Characteristics in Polymer Replication on Micro- and Nanoscale - DTU Orbit (08/11/2017)

On The Role of Wetting, Structure Width, and Flow Characteristics in Polymer Replication on Micro- and Nanoscale

The replication of functional polymeric micro- and nanostructures requires a deep understanding of material and process interrelations. In this investigation the dewetting potential of a polymer is proposed as a simple rationale for estimation of the replicability of functional micro- and nanostructures by injection molding. The dewetting potential of a polymer is determined by integrating the spreading coefficient over the range from melt temperature to no-flow temperature. From all polymers tested, the lowest dewetting potential is calculated for PP and the highest for polymethylmethacrylate. The dewetting potential correlates well with the replicated height of four different structures covering both the micro- and the nanorange on two different surfaces (brass and fluorocarbon modified nickel) and polymers with different spreading coefficients. It is clearly shown that a lower dewetting potential of a polymer leads to a better replication accuracy. Additionally a parabolic relationship is demonstrated between filled height and structure width.

General information

State: Published

Organisations: Department of Micro- and Nanotechnology, Polymer Micro & Nano Engineering, University of Applied Sciences and Arts Northwestern Switzerland, Technical University of Dortmund, Paul Scherrer Institut

Authors: Rytka, C. (Ekstern), Opara, N. (Ekstern), Andersen, N. K. (Intern), Kristiansen, P. M. (Ekstern), Neyer, A. (Ekstern)

Pages: 597-609

Publication date: 2016

Main Research Area: Technical/natural sciences

Publication information

Journal: Macromolecular Materials & Engineering

Volume: 301

Issue number: 5

ISSN (Print): 1438-7492

Ratings:

BFI (2017): BFI-level 1

Web of Science (2017): Indexed yes

BFI (2016): BFI-level 1

Scopus rating (2016): CiteScore 3.01 SJR 0.894 SNIP 0.971

Web of Science (2016): Indexed yes

BFI (2015): BFI-level 1

Scopus rating (2015): SJR 0.852 SNIP 1.097 CiteScore 2.88

Web of Science (2015): Indexed yes

BFI (2014): BFI-level 1

Scopus rating (2014): SJR 1.005 SNIP 1.309 CiteScore 2.81

Web of Science (2014): Indexed yes

BFI (2013): BFI-level 1

Scopus rating (2013): SJR 0.952 SNIP 1.244 CiteScore 2.66

ISI indexed (2013): ISI indexed yes

BFI (2012): BFI-level 1

Scopus rating (2012): SJR 0.949 SNIP 1.145 CiteScore 2.34

ISI indexed (2012): ISI indexed yes

BFI (2011): BFI-level 1

Scopus rating (2011): SJR 0.962 SNIP 1.055 CiteScore 2.18

ISI indexed (2011): ISI indexed yes

BFI (2010): BFI-level 1

Scopus rating (2010): SJR 0.923 SNIP 0.917

Web of Science (2010): Indexed yes

BFI (2009): BFI-level 1

Scopus rating (2009): SJR 1.069 SNIP 0.983

BFI (2008): BFI-level 1

Scopus rating (2008): SJR 0.941 SNIP 0.941

Scopus rating (2007): SJR 0.821 SNIP 0.85

Scopus rating (2006): SJR 0.936 SNIP 1.154

Scopus rating (2005): SJR 0.941 SNIP 0.956

Scopus rating (2004): SJR 0.814 SNIP 0.928

Scopus rating (2003): SJR 0.966 SNIP 1.083

Scopus rating (2002): SJR 0.595 SNIP 0.669

Scopus rating (2001): SJR 0.596 SNIP 0.728

Scopus rating (2000): SJR 0.372 SNIP 0.591

Scopus rating (1999): SJR 0.478 SNIP 0.688

Original language: English

DOIs:

10.1002/mame.201500350

Source: FindIt

Source-ID: 2292077980

Publication: Research - peer-review › Journal article – Annual report year: 2016